Contents

Volume 106 1993

Smyth, M. J., Sparks, R. L. and Wharton, W.
Proadipocyte cell lines: models of cellular proliferation and differentiation 1-9

Jiménez-Garcia, L. F., Green, S. R., Mathews, M. B. and Spector, D. L.
Organization of the double-stranded RNA-activated protein kinase DAI and virus-associated VA RNA_I in adenovirus-2-infected HeLa cells 11-22

Chugani, D. C., Rome, L. H. and Kedersha, N. L.
Evidence that vault ribonucleoprotein particles localize to the nuclear pore complex 23-29

Wu, X.-R. and Sun, T.-T.
Molecular cloning of a 47 kDa tissue-specific and differentiation-dependent urothelial cell surface glycoprotein 31-43

Chen, C.-S., Lyons-Giordano, B., Lazarus, G. S. and Jensen, P. J.
Differential expression of plasminogen activators and their inhibitors in an organotypic skin coculture system 45-53

Yamagata, M., Saga, S., Kato, M., Bernfield, M. and Kimata, K.
Selective distrubutions of proteoglycans and their ligands in pericellular matrix of cultured fibroblasts. Implications for their roles in cell-substratum adhesion 55-65

Malchiodi-Albedi, F., Ceccarini, M., Winkelmann, J. C., Morrow, J. S. and Petrucci, T. C.
The 270 kDa splice variant of erythrocyte β-spectrin (β1ε3) segregates in vivo and in vitro to specific domains of cerebellar neurons 67-78

Mitchell, A. R., Nicol, L., Malloy, P. and Kipling, D.
Novel structural organisation of a *Mus musculus* DBA/2 chromosome shows a fixed position for the centromere 79-85

Philp, A. V., Axton, J. M., Saunders, R. D. C. and Glover, D. M.
Mutations in the *Drosophila melanogaster* gene *three rows* permit aspects of mitosis to continue in the absence of chromatid segregation 87-98

Perou, C. M. and Kaplan, J.
Chediak-Higashi Syndrome is not due to a defect in microtubule-based lysosomal mobility 99-107

May, M. J., Entwistle, G., Humphries, M. J. and Ager, A.
VCAM-1 is a CS1 peptide-inhibitable adhesion molecule expressed by lymph node high endothelium 109-119

Clarke, M. S. F., Khakee, R. and McNeil, P. L.
Loss of cytoplasmic basic fibroblast growth factor from physiologically wounded myofibers of normal and dystrophic muscle 121-133

Ke, Y., Fernig, D. G., Wilkinson, M. C., Winstanley, J. H. R., Smith, J. A., Rudland, P. S. and Barraclough, R.
The expression of basic fibroblast growth factor and its receptor in cell lines derived from normal human mammary gland and a benign mammary lesion 135-143

Zieske, J. D. and Wasson, M.
Regional variation in distribution of EGF receptor in developing and adult corneal epithelium 145-152

Winder, A. J., Wittbjer, A., Rosengren, E. and Rorsman, H.
The mouse *brown (b)* locus protein has dopachrome tautomerase activity and is located in lysosomes in transfected fibroblasts 153-166

Kielty, C. M. and Shuttleworth, C. A.
Synthesis and assembly of fibrillin by fibroblasts and smooth muscle cells 167-173

Watt, F. M., Kubler, M.-D., Hotchin, N. A., Nicholson, L. J. and Adams, J. C.
Regulation of keratinocyte terminal differentiation by integrin-extracellular matrix interactions 175-182

Crowe, D. L.
Retinoic acid mediates post-transcriptional regulation of keratin 19 mRNA levels 183-188

Buchenau, P., Arndt-Jovin, D. J. and Saumweber, H.
In vivo observation of the puff-specific protein no-on transient A (NONA) in nuclei of *Drosophila* embryos 189-199

Garcia-Martinez, V., Macias, D., Gañan, Y., Garcia-Lobo, J. M., Francia, M. V., Fernandez-Teran, M. A. and Hurle, J. M.
Internucleosomal DNA fragmentation and programmed cell death (apoptosis) in the interdigital tissue of the embyronic chick leg bud 201-208

James, S. W., Silflow, C. D., Stroom, P. and Lefebvre, P. A.
A mutation in the α-1 tubulin gene of *Chlamydomonas reinhardtii* confers resistance to anti-microtubule herbicides 209-218

Kam, E., Resing, K. A., Lim, S. K. and Dale, B. A.
Identification of rat epidermal profilaggrin phosphatase as a member of the protein phosphatase 2A family 219-226

Lo, W.-K. and Reese, T. S.
Multiple structural types of gap junctions in mouse lens 227-235

Ward, G. E., Miller, L. H. and Dvorak, J. A.
The origin of parasitophorous vacuole membrane lipids in malaria-infected erythrocytes 237-248

Vergères, G., Yen, T. S. B., Aggeler, J., Lausier, J. and Waskell, L.
A model system for studying membrane biogenesis. Overexpression of cytochrome b_5 in yeast results in marked proliferation of the intracellular membrane 249-259

Goldberg, M. W. and Allen, T. D.
The nuclear pore complex: three-dimensional surface structure revealed by field emission, in-lens scanning electron microscopy with underlying structure uncovered by proteolysis 261-274

Contents

Jenkins, H., Hölman, T., Lyon, C., Lane, B., Stick, R. and Hutchison, C.
Nuclei that lack a lamina accumulate karyophilic proteins and assemble a nuclear matrix 275-285

Lee, A., Tam, R., Belhumeur, P., DiPaolo, T. and Clark, M. W.
Prp20, the *Saccharomyces cerevisiae* homolog of the regulator of chromosome condensation, RCC1, interacts with double-stranded DNA through a multi-component complex containing GTP-binding proteins 287-298

Larsson, O., Carlberg, M. and Zetterberg, A.
Selective killing induced by an inhibitor of N-linked glycosylation 299-307

Malorni, W., Iosi, F., Santini, M. T. and Testa, U.
Menadione-induced oxidative stress leads to a rapid down-modulation of transferrin receptor recycling 309-318

Vinkemeir, U., Obermann, W., Weber, K. and Fürst, D. O.
The globular head domain of titin extends into the center of the sarcomeric M band. cDNA cloning, epitope mapping and immunoelectron microscopy of two titin-associated proteins 319-330

Chang, K.-C., Fernandes, K. and Goldspink, G.
In vivo expression and molecular characterization of the porcine slow-myosin heavy chain 331-341

Oakley, C. and Brunette, D. M.
The sequence of alignment of microtubules, focal contacts and actin filaments in fibroblasts spreading on smooth and grooved titanium substrata 343-354

Tamm, S. L. and Tamm, S.
Dynamic control of cell-cell adhesion and membrane-associated actin during food-induced mouth opening in *Beröe* 355-364

Hua, Q., Knudson, C. B. and Knudson, W.
Internalization of hyaluronan by chondrocytes occurs via receptor-mediated endocytosis 365-375

Tranqui, L., Usson, Y., Marie, C. and Block, M. R.
Adhesion of CHO cells to fibronectin is mediated by functionally and structurally distinct adhesion plaques 377-387

Joshi, P., Chung, C.-Y., Aukhil, I. and Erickson, H. P.
Endothelial cells adhere to the RGD domain and the fibrinogen-like terminal knob of tenascin 389-400

Matsunami, H., Miyatani, S., Inoue, T., Copeland, N. G., Gilbert, D. J., Jenkins, N. A. and Takeichi, M.
Cell binding specificity of mouse R-cadherin and chromosomal mapping of the gene 401-409

Allen, R. D., Ma, L. and Fok, A. K.
Acidosomes: recipients of multiple sources of membrane and cargo during development and maturation 411-422

Turek, J. J., Leamon, C. P. and Low, P. S.
Endocytosis of folate-protein conjugates: ultrastructural localization in KB cells 423-430

Mínguez, A. and Moreno Díaz de la Espina, S.
Immunological characterization of lamins in the nuclear matrix of onion cells 431-439

Godin, C., Caprani, A., Dufaux, J. and Flaud, P.
Interactions between neutrophils and endothelial cells 441-452

Gilroy, S., Bethke, P. C. and Jones, R. L.
Calcium homeostasis in plants 453-462

Finbow, M. E. and Pitts, J. D.
Is the gap junction channel *-the connexon* - made of connexin or ductin? 463-472

Paulus, U., Loeffler, M., Zeidler, J., Owen, G. and Potten, C. S.
The differentiation and lineage development of goblet cells in the murine small intestinal crypt: experimental and modelling studies 473-484

Rogers, R. A., Jack, R. M. and Furlong, S. T.
Lipid and membrane protein transfer from human neutrophils to schistosomes is mediated by ligand binding 485-492

Volz, A.
Regulation of CD18 expression in human neutrophils as related to shape changes 493-502

Poliard, A., Lamblin, D., Marie, P. J., Buc-Caron, M. H. and Kellermann, O.
Commitment of the teratocarcinoma-derived mesodermal clone C1 towards terminal osteogenic differentiation 503-512

Fabre, M. and García de Herreros, A.
Phorbol ester-induced scattering of HT-29 human intestinal cancer cells is associated with down-modulation of E-cadherin 513-522

Miller, A. L., Fluck, R. A., McLaughlin, J. A. and Jaffe, L. F.
Calcium buffer injections inhibit cytokinesis in *Xenopus* eggs 523-534

Maridor, G., Gallant, P., Golsteyn, R. and Nigg, E. A.
Nuclear localization of vertebrate cyclin A correlates with its ability to form complexes with cdk catalytic subunits 535-544

Pfeifer, K., Frank, W., Schröder, H. C., Gamulin, V., Rinkevich, B., Batel, R., Müller, I. M. and Müller, W. E. G.
Cloning of the polyubiquitin cDNA from the marine sponge *Geodia cydonium* and its preferential expression during reaggregation of cells 545-554

Steinberg, G. and Schliwa, M.
Organelle movements in the wild type and wall-less fz;sg;os-1 mutants of *Neurospora crassa* are mediated by cytoplasmic microtubules 555-564

Provance, D. W. Jr, McDowall, A., Marko, M. and Luby-Phelps, K.
Cytoarchitecture of size-excluding compartments in living cells 565-578

Bao, Z. Z., Lakonishok, M., Kaufman, S. and Horwitz, A. F.
The $\alpha_7\beta_1$ integrin is a component of the myotendinous junction on skeletal muscle 579-590

Liu, G., Kuwayama, H., Ishida, S. and Newell, P. C.
The role of cyclic GMP in regulating myosin during chemotaxis of *Dictyostelium*: evidence from a mutant lacking the normal cyclic GMP response to cyclic AMP 591-596

Wehrle-Haller, B. and Chiquet, M.
Dual function of tenascin: simultaneous promotion of neurite growth and inhibition of glial migration 597-610

Teng, K. K., Georgieff, I. S., Aletta, J. M., Nunez, J., Shelanski, M. L. and Greene, L. A.
Characterization of a PC12 cell sub-clone (PC12-C41) with enhanced neurite outgrowth capacity: implications for a modulatory role of high molecular weight tau in neuritogenesis 611-626

Fontalba, A., Paciucci, R., Avila, J. and Zabala, J. C.
Incorporation of tubulin subunits into dimers requires GTP hydrolysis 627-632

Doll, T., Meichsner, M., Riederer, B. M., Honegger, P. and Matus, A.
An isoform of microtubule-associated protein 2(MAP2) containing four repeats of the tubulin-binding motif 633-640

Rennison, M. E., Kerr, M., Addey, C. V. P., Handel, S. E., Turner, M. D., Wilde, C. J. and Burgoyne, R. D.
Inhibition of constitutive protein secretion from lactating mouse mammary epithelial cells by FIL (feedback inhibitor of lactation), a secreted milk protein 641-648

Hurtley, S. M.
Recycling of a secretory granule membrane protein after stimulated secretion 649-656

Lichtenbeld, H. H. C., Muller, A. D., van Dam-Mieras, M. C. E. and Blijham, G. H.
Tumor spheroid-induced vesicle formation on endothelial cells is associated with procoagulant properties 657-662

MacLean, C. M., Marciniak, S. J., Hall, D. V. and Edwardson, J. M.
Involvement of a phosphoprotein on the zymogen granule membrane in the control of regulated exocytosis in the exocrine pancreas 663-670

Hemmer, W., Riesinger, I., Wallimann, T., Eppenberger, H. M. and Quest, A. F. G.
Brain-type creatine kinase in photoreceptor cell outer segments: role of a phosphocreatine circuit in outer segment energy metabolism and phototransduction 671-684

Poole, C. A., Brookes, N. H. and Clover, G. M.
Keratocyte networks visualised in the living cornea using vital dyes 685-692

Ishida, M., Aihara, M. S., Allen, R. D. and Fok, A. K.
Osmoregulation in *Paramecium*: the locus of fluid segregation in the contractile vacuole complex 693-702

Khoory, W., Wu, E. and Svoboda, K. K. H.
Intracellular relationship between actin and alpha-actinin in a whole corneal epithelial tissue 703-717

Jiménez, M. and Goday, C.
A centrosome-associated antibody from *Drosophila melanogaster* reveals a new microtubule-dependent structure in the equatorial zone of *Parascaris univalens* embryos 719-730

Schweitzer, E. S.
Regulated and constitutive secretion of distinct molecular forms of acetylcholinesterase from PC12 cells 731-740

Kaneda, Y., Kinoshita, K., Sato, M., Tanaka, K. and Kaneda, Y.
The analysis of 40 kDa nuclear protein, p40, in interphase cells and mitotic cells 741-748

van der Ven, P. F. M., Schaart, G., Croes, H. J. E., Jap, P. H. K., Ginsel, L. A. and Ramaekers, F. C. S.
Titin aggregates associated with intermediate filaments align along stress fiber-like structures during human skeletal muscle cell differentiation 749-759

de Wynter, E., Allen, T., Coutinho, L., Flavell, D., Flavell, S. U. and Dexter, T. M.
Localisation of granulocyte macrophage colony-stimulating factor in human long-term bone marrow cultures. Biological and immunocytochemical characterisation 761-769

Lesuffleur, T., Porchet, N., Aubert, J.-P., Swallow, D., Gum, J. R., Kim, Y. S., Real, F. X. and Zweibaum, A.
Differential expression of the human mucin genes *MUC1* to *MUC5* in relation to growth and differentiation of different mucus-secreting HT-29 cell subpopulations 771-783

Fang, H., Aiba, K., Higa, M., Urushihara, H. and Yanagisawa, K.
Antisense RNA inactivation of gp138 gene expression results in repression of sexual cell fusion in *Dictyostelium discoideum* 785-788

Roa, M., Cornet, V., Yang, C.-Z. and Goud, B.
The small GTP-binding protein rab6p is redistributed in the cytosol by brefeldin A 789-802

Deretic, D. and Papermaster, D. S.
Rab6 is associated with a compartment that transports rhodopsin from the *trans*-Golgi to the site of rod outer segment disk formation in frog retinal photoreceptors 803-813

Bryant, N. J. and Boyd, A.
Immunoisolation of Kex2p-containing organelles from yeast demonstrates colocalisation of three processing proteinases to a single Golgi compartment 815-822

Schimmöller, F. and Riezman, H.
Involvement of Ypt7p, a small GTPase, in traffic from late endosome to the vacuole in yeast 823-830

Pieters, J., Bakke, O. and Dobberstein, B.
The MHC class II-associated invariant chain contains two endosomal targeting signals within its cytoplasmic tail 831-846

Galway, M. E., Rennie, P. J. and Fowke, L. C.
Ultrastructure of the endocytotic pathway in glutaraldehyde-fixed and high-pressure frozen/freeze-substituted protoplasts of white spruce (*Picea glauca*) 847-858

Rizzolo, L. J. and Li, Z.-Q.
Diffusible, retinal factors stimulate the barrier properties of junctional complexes in the retinal pigment epithelium 859-867

Contents

Matthay, M. A., Thiery J.-P., Lafont, F., Stampfer, M. F. and Boyer, B.
Transient effect of epidermal growth factor on the motility of an immortalized mammary epithelial cell line 869-878

Fenyves, A. M., Behrens, J. and Spanel-Borowski, K.
Cultured microvascular endothelial cells (MVEC) differ in cytoskeleton, expression of cadherins and fibronectin matrix. A study under the influence of interferon-γ 879-890

Bennett, P. A., Dixon, R. J. and Kellie, S.
The phosphotyrosine phosphatase inhibitor vanadyl hydroperoxide induces morphological alterations, cytoskeletal rearrangements and increased adhesiveness in rat neutrophil leucocytes 891-901

Morgan, M. J., Earnshaw, J. C. and Dhoot, G. K.
Novel developmentally regulated exon identified in the rat fast skeletal muscle troponin T gene 903-908

Chen, R., Perrone, C. A., Amos, L. A. and Linck, R. W.
Tektin B1 from ciliary microtubules: primary structure as deduced from the cDNA sequence and comparison with tektin A1 909-918

Kouklis, P. D., Hatzfeld, M., Brunkener, M., Weber, K. and Georgatos, S. D.
In vitro assembly properties of vimentin mutagenized at the β-site tail motif 919-928

Peek, R., Pruijn, G. J. M., van der Kemp, A. J. W. and van Venrooij, W. J.
Subcellular distribution of Ro ribonucleoprotein complexes and their constituents 929-935

Gonnella, P. A. and Wilmore, D. W.
Co-localization of class II antigen and exogenous antigen in the rat enterocyte 937-940

Sylwester, A., Wessels, D., Anderson, S. A., Warren, R. Q., Shutt, D. C., Kennedy, R. C. and Soll, D. R.
HIV-induced syncytia of a T cell line form single giant pseudopods and are motile 941-953

Hamm-Alvarez, S. F., Kim, P. Y. and Sheetz, M. P.
Regulation of vesicle transport in CV-1 cells and extracts 955-966

Paul, E. C. A. and Quaroni, A.
Identification of a 102 kDa protein (cytocentrin) immunologically related to keratin 19, which is a cytoplasmically derived component of the mitotic spindle pole 967-981

Fang, F. and Newport, J. W.
Distinct roles of cdk2 and cdc2 in RP-A phosphorylation during the cell cycle 983-994

Hansen, M., Boitano, S., Dirksen, E. R. and Sanderson, M. J.
Intercellular calcium signaling induced by extracellular adenosine 5′-triphosphate and mechanical stimulation in airway epithelial cells 995-1004

Killich, T., Plath, P. J., Wei, X., Bultmann, H., Rensing, L. and Vicker, M. G.
The locomotion, shape and pseudopodial dynamics of unstimulated *Dictyostelium* cells are not random 1005-1013

Aberdam, E., Roméro, C. and Ortonne, J.-P.
Repeated UVB irradiations do not have the same potential to promote stimulation of melanogenesis in cultured normal human melanocytes 1015-1022

Ribeiro de Jesus, A., Cooper, R., Espinosa, M., Gomes, J. E. P. L., Garcia, E. S., Paul, S. and Cross, G. A. M.
Gene deletion suggests a role for *Trypanosoma cruzi* surface glycoprotein GP72 in the insect and mammalian stages of the life cycle 1023-1033

White-Cooper, H., Alphey, L. and Glover, D. M.
The *cdc25* homologue *twine* is required for only some aspects of the entry into meiosis in *Drosophila* 1035-1044

Casiano, C. A., Landberg, G., Ochs, R. L. and Tan, E. M.
Autoantibodies to a novel cell cycle-regulated protein that accumulates in the nuclear matrix during S phase and is localized in the kinetochores and spindle midzone during mitosis 1045-1056

Nakamura, N., Tanaka, J. and Sobue, K.
Rous sarcoma virus-transformed cells develop peculiar adhesive structures along the cell periphery 1057-1069

Delaissé, J. M., Eeckhout, Y., Neff, L., François-Gillet, Ch., Henriet, P., Su, Y., Vaes, G. and Baron, R.
(Pro)collagenase (matrix metalloproteinase-1) is present in rodent osteoclasts and in the underlying bone-resorbing compartment 1071-1082

Sonnenberg, A., de Melker, A. A., Martinez de Velasco, A. M., Janssen, H., Calafat, J. and Niessen, C. M.
Formation of hemidesmosomes in cells of a transformed murine mammary tumor cell line and mechanisms involved in adherence of these cells to laminin and kalinin 1083-1102

Fok, A. K., Clarke, M., Ma, L. and Allen, R. D.
Vacuolar H^+-ATPase of *Dictyostelium discoideum*. A monoclonal antibody study 1103-1113

Burdett, I. D. J.
Internalisation of desmosomes and their entry into the endocytic pathway via late endosomes in MDCK cells. Possible mechanisms for the modulation of cell adhesion by desmosomes during development 1115-1130

Hotchin, N. A., Kovach, N. L. and Watt, F. M.
Functional down-regulation of $\alpha_5\beta_1$ integrin in keratinocytes is reversible but commitment to terminal differentiation is not 1131-1138

Song, W. K., Wang, W., Sato, H., Bielser, D. A. and Kaufman, S. J.
Expression of α_7 integrin cytoplasmic domains during skeletal muscle development: alternate forms, conformational change, and homologies with serine/threonine kinases and tyrosine phosphatases 1139-1152

Novak, B. and Tyson, J. J.
Numerical analysis of a comprehensive model of M-phase control in *Xenopus* oocyte extracts and intact embryos 1153-1168

Liu, Q., Golubovskaya, I. and Cande, W. Z.
Abnormal cytoskeletal and chromosome distribution in *po*, *ms4* and *ms6*; mutant alleles of *polymitotic* that disrupt the cell cycle progression from meiosis to mitosis in maize 1169-1178

Rodionov, V. I., Gelfand, V. I. and Borisy, G. G.
Kinesin-like molecules involved in spindle formation 1179-1188

Bertagnolli, M. E., Locke, S. J., Hensler, M. E., Bray, P. F. and Beckerle, M. C.
Talin distribution and phosphorylation in thrombin-activated platelets 1189-1199

Stoorvogel, W., Oorschot, V. and Neve, B.
A novel method for measuring protein expression at the cell surface 1201-1209

Salathe, M., Pratt, M. M. and Wanner, A.
Protein kinase C-dependent phosphorylation of a ciliary membrane protein and inhibition of ciliary beating 1211-1220

Turner, M. D., Handel, S. E., Wilde, C. J. and Burgoyne, R. D.
Differential effect of brefeldin A on phosphorylation of the caseins in lactating mouse mammary epithelial cells 1221-1226

Ayscough, K., Hajibagheri, N. M. A., Watson, R. and Warren, G.
Stacking of Golgi cisternae in *Schizosaccharomyces pombe* requires intact microtubules 1227-1237

Bruno de Almeida, J., Doherty, J., Ausiello, D. A. and Stow, J. L.
Binding of the cytosolic p200 protein to Golgi membranes is regulated by heterotrimeric G proteins 1239-1248

Olkkonen, V. M., Dupree, P., Killisch, I., Lütcke, A., Zerial, M. and Simons, K.
Molecular cloning and subcellular localization of three GTP-binding proteins of the rab subfamily 1249-1261

Dráberová, E. and Dráber, P.
A microtubule-interacting protein involved in coalignment of vimentin intermediate filaments with microtubules 1263-1273

Morgans, C. W. and Kopito, R. R.
Generation of truncated brain AE3 isoforms by alternate mRNA processing 1275-1282

Adjaye, J., Marsh, P. J. and Eagles, P. A. M.
Immunological properties and cDNA sequence analysis of an intermediate-filament-like protein from squid neuronal tissue 1283-1290

Sejersen, T. and Lendahl, U.
Transient expression of the intermediate filament nestin during skeletal muscle development 1291-1300

McMurray, H. F., Proudfoot, D., Davis, J. B., Parrott, D. P. and Bowyer, D. E.
A small molecular mass inhibitor of growth of 3T3 cells and porcine aortic smooth muscle cells released from the macrophage cell line P388D1 1301-1311

Taub, M. E. and Shen, W.-C.
Regulation of pathways within cultured epithelial cells for the transcytosis of a basal membrane-bound peroxidase-polylysine conjugate 1313-1321

Abdel-Malek, Z., Swope, V., Collins, C., Boissy, R., Zhao, H. and Nordlund, J.
Contribution of melanogenic proteins to the heterogeneous pigmentation of human melanocytes 1323-1331

Olmedilla, A., Testillano, P. S., Vicente, O., Delseny, M. and Risueño, M. C.
Ultrastructural rRNA localization in plant cell nucleoli. RNA/RNA in situ hybridization, autoradiography and cytochemistry 1333-1345

McCann, M. C., Stacey, N. J., Wilson, R. and Roberts, K.
Orientation of macromolecules in the walls of elongating carrot cells 1347-1356

Perris, R., Syfrig, J., Paulsson, M. and Bronner-Fraser, M.
Molecular mechanisms of neural crest cell attachment and migration on types I and IV collagen 1357-1368

Walczak, C. E. and Nelson, D. L.
In vitro phosphorylation of ciliary dyneins by protein kinases from *Paramecium* 1369-1376

Dauvois, S., White, R. and Parker, M. G.
The antiestrogen ICI 182780 disrupts estrogen receptor nucleocytoplasmic shuttling 1377-1388

1993 Index of Authors and Titles 1389-1404

1993 Subject Index 1405-1440